

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail, in an envelope addressed to: MS Post Issue, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: December 16, 2004 Signature

(Anthony G. Silko)

Docket No.: 29452/10006
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Eli Cohen et al.

Patent No.: 6,797,519 B2

Issued: September 28, 2004

For: METHOD AND APPARATUS FOR
DIAGNOSING HEMOSTASIS

Certificate
DEC 22 2004
of Correction

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.322**

MS Post Issue
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted a typographical error which should be corrected.

In the Claims:

In Claim 1, column 9, line 46, please delete "parameter provide" and insert -- parameter to provide --.

The error was not in the application as filed by applicant; accordingly no fee is required.

DEC 22 2004

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

Dated: December 16, 2004

Respectfully submitted,

By 
Anthony G. Sitko

Registration No.: 36,278
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357
(312) 474-6300
Attorney for Applicant

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,797,519 B2
DATED : September 28, 2004
INVENTORS : Eli Cohen et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Claim 1, column 9, line 46, please delete "parameter provide" and insert -- parameter to provide --.

MAILING ADDRESS OF SENDER:

Anthony G. Sitko
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO. 6,797,519 B2

No. of additional copies 1

DEC 23 2004

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,797,519 B2
DATED : September 28, 2004
INVENTORS : Eli Cohen et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Claim 1, column 9, line 46, please delete "parameter provide" and insert -- parameter to provide --.

MAILING ADDRESS OF SENDER:

Anthony G. Sitko
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO. 6,797,519 B2

No. of additional copies 1

DEC 23 2004